

MOLECULAR COMMUNICATION OPTIONS FOR LONG RANGE NANONETWORKS

1

Lluís Parcerisa
Advisor: Ian F. Akyildiz

ABOUT THIS PRESENTATION...

-  **1-Why?**
Research reasons
-  **2-How?**
Looking for possibilities
-  **3-Then...**
Evaluation, future work, conclusion

Molecular Communication Options for Long Range Nanonetworks

2

1.- WHY?

1.1

- Nanotechnology
- *Motivation, Overview*

1.2

- Nanocommunication
- *Nano-machines, Approaches*


1.3

- Long Range NanoCom
- *Advantages, Applications*

3

Molecular Communication Options for Long Range Nanonetworks

LIMITATIONS ON SILICON TECHNOLOGY





- Current evolution based on downscaling silicon transistor dimensions is not feasible.
- Additionally, the power consumption of tiny semiconductor devices is a major problem.

4

Molecular Communication Options for Long Range Nanonetworks

SOLUTION: NANOTECHNOLOGY



Molecular Communication Options for Long Range Nanonetworks

1.- WHY?

1.1

- Nanotechnology
- Motivation, Overview

1.2

- Nanocommunication
- Nano-machines, Approaches

1.3

- Long Range NanoCom
- Advantages, Applications

Molecular Communication Options for Long Range Nanonetworks


NANOMACHINES AND NANONETWORKS

- **NanoMachine:** Nano-scale device able to perform *very specific tasks*, such as communicating, computing, data storing, sensing and/or actuation.
- **NanoNetworks:**
 - The interconnection of different nano-machines providing them a way to cooperate and share information.
 - NanoNetworks will expand the capabilities of single nano-machines.

NANOCOMMUNICATION - APPROACHES


Molecular Comm

- Use biological elements as blocks or design patterns (enc. molecules)



Quantum Comm

- Use semiconductor materials at atomic scale (EM fields)



NANO COMMUNICATION – APPROACH ADV

Molecular Comm

- Very efficient power consumption
- Bio-compatibility
- Already existing elements
- New approach in ICT field

Quantum Comm

- Fast transmission speed
- Easier interface with existing SC devices



Molecular Communication Options for Long Range Nanonetworks


9

MOLECULAR COMMUNICATION OVERVIEW

Molecular Communication Options for Long Range Nanonetworks

10






LONG RANGE APPLICATIONS (1/2)


Biomedical

- Pathway between nano-networks and macro devices
- Gateway between several nanonetworks



Industrial

- Added value in manufactured products
- Haptic interfacing




Molecular Communication Options for Long Range Nanonetworks

14

LONG RANGE APPLICATIONS (2/2)

Environmental

- Accurate particle detection
- Sensor Networks (toxicity in river, humidity in forest)




ICT



- Ad-hoc molecular nano-devices interconnection
- Molecular hotspot access



2.- HOW?



2.- HOW?

Pheromones

? > > > >

Pollen, Spores

? > > > >

Light trans.

? > > > >

Capillaries

? > > > >



Axons

? > > > >

Molecular Communication Options for Long Range Nanonetworks

17

PHEROMONES. DEF. AND EMISSION

○ Pheromones

- Pheromones are chemical compounds released by insects, plants and animals that trigger different behaviors in the receptor member of the same species.

○ Pheromones – Encoding and Emitting

- When a cell or a nano-machine has to transmit some information (usually to trigger a remote reaction) it releases a specific type of pheromones, into either an aqueous or a gaseous medium. At that moment, the concentration of molecules around the cell increases abruptly.

Capillaries

? > > > >

Axons


? > > > >

Molecular Communication Options for Long Range Nanonetworks

18

PHEROMONES. PROPAGATION


- Due to molecular diffusion, pheromones will travel through the medium dispersing themselves randomly.
- Particles in the medium following Brownian dynamics can collide, or even block the movement. Physical obstacles should be also taken into account.



Molecular Communication Options for Long Range Nanonetworks

19



PHEROMONES. RECEPTION



Molecular Communication Options for Long Range Nanonetworks

20

2.- HOW?

Pheromones

? < > < >

Pollen, Spores

? < > < >

Light trans.

? < > < >

Capillaries

? < > < >

Axons



? < > < >


Molecular Communication Options for Long Range Nanonetworks

21

POLLEN AND SPORES DEFINITION

- Reproductive particles released by plants and fungi
- Smallest pollen grain (Myosotis): 6 μm
- Spore Aspergillus: 2 to 10 μm
- Particle air diffusion model, as pheromones





Molecular Communication Options for Long Range Nanonetworks

22



POLLEN AND SPORES VS PHEROMONES

- Advantages
 - **Message codification in DNA mutations**
 - **More robust to particle noise**
- Drawbacks
 - **Slower propagation**
 - **Turbulence has bigger effects**



Molecular Communication Options for Long Range Nanonetworks

2.- HOW?



Pheromones



Pollen, Spores



Light trans.



Capillaries




Axons



Molecular Communication Options for Long Range Nanonetworks

LIGHT TRANSDUCTION DEFINITION

- For light transduction we refer to the conversion between molecular and optical signals.
- It is envisaged to provide high speed propagation (light) and known signal processing (thus allowing semiconductor components when molecular information is converted)




Molecular Communication Options for Long Range Nanonetworks

25

LIGHT TRANSDUCTION EMISSION


Fluorescent proteins

- Biological molecules composed of aminoacids that fluoresces at certain wavelength when exposed to different wavelength.



MOLED's

- Semi-conductor structures in nanoscale dimensions, embedded in biological shield for molecular compatibility.



Molecular Communication Options for Long Range Nanonetworks

26

LIGHT TRANSDUCTION PROPAGATION

a

b

plasma membrane

endoplasmic reticulum

golgi

microtubules

Nucleus

mitochondria

Molecular Communication Options for Long Range Nanonetworks

27

LIGHT TRANSDUCTION RECEPTION

Molecular switch

- A molecule that can be reversibly shifted between two or more stable states.
- A subset of molecular switches actuates in response of light variation.

Molecular wire

- Specific dyes (e.g., boron-dipyrromethene) to capture incoming optical signal
- Convert photons to electrons in ZnO nano-wires

A

B


Figure 4. Light-Driven Cytoskeletal Filament Formation in LRG2.

input

Molecular Communication Options for Long Range Nanonetworks

28


2.- HOW?



Pheromones

Pollen, Spores

Light trans.




Capillaries

Axons

Molecular Communication Options for Long Range Nanonetworks

29


CAPILLARIES DEFINITION



? < > < >

? < > < >


? < > < >



? < > < >

? < > < >


- Capillaries are the smallest of blood vessels, measuring from 5 μ m to 10 μ m in diameter. They connect arterioles and venules and their main function is to interchange chemicals and nutrients between blood and surrounding tissues.



Molecular Communication Options for Long Range Nanonetworks

30

CAPILLARIES EMISSION




- The emulation of capillaries for long-range wired architectures enables the usage of most of communication particles that are already used in animal blood.
- Hormones are the most suitable particles to be used. Endocrine hormones, which travel in blood stream, serve the body as chemical messenger to communicate cells


Molecular Communication Options for Long Range Nanonetworks

31

CAPILLARIES PROPAGATION



- The hardware required to use capillary pipes as guided propagation is complex and has to be carefully monitored (integrity, flow).
- Pumping system:
 - Electro-osmosis (requires high voltage)
 - Mechanical Nano-valvules (requires high precision)
 - Thermal circuit (requires temperature gradient)





Molecular Communication Options for Long Range Nanonetworks

32



CAPILLARIES RECEPTION

- Detection probability: receptor/ligand binding theory.
 - A **ligand** is a substance that is able to bind to and form a complex with a biomolecule to serve a biological purpose.
 - A **receptor** is a protein molecule, embedded in either the plasma membrane or the cytoplasm of a cell, to which a molecule used for signalling may attach.



Molecular Communication Options for Long Range Nanonetworks

2.- HOW?



Pheromones



Pollen, Spores



Light trans.



Capillaries




Axons



Molecular Communication Options for Long Range Nanonetworks


AXONS DEFINITION

- Nerve fibers that animal brain uses to order muscle movements or receive external stimulus, is the underlying idea to be developed. Axons, the slender projection of the neuron, offer promising features for nano-communication.




AXONS EMISSION

- The signal travelling along an axon (only in one direction) is the action potential.
- Electric signal => semiconductor receivers and transmitters could be attached to axon, constituting an interconnection path between different nanonetworking techniques. Ranvier nodes => plug interface?



AXONS PROPAGATION

- high speed (90 m/s in big myelinated ones)
- long length (up to 1m, plus joining possibilities)
- interference free (coaxial wire)




Molecular Communication Options for Long Range Nanonetworks

37

AXONS RECEPTION

- The AP can be conformed back to molecular info by **synapse processes**.
- This process is used between neurons, and in nerve fibers.



Molecular Communication Options for Long Range Nanonetworks

38

3.- THEN...

- 3.1 • Evaluation
- 3.2 • Future work
- 3.3 • Conclusions

Molecular Communication Options for Long Range Nanonetworks

39



QUALITATIVE EVALUATION

	phero	pollen spores	light	axons	capillary
Hw complex	Easy (9)	Easy (9)	Complex (3)	Easy (7)	Medium (8)
Diversity	Huge (10)	Huge (10)	Freqs (7)	Act. Pot. (9)	High (8)
Range	10's cms (5)	Low (3)	Optical (10)	Medium (6)	High (8)
S. Speed	Diffusion (4)	Diffusion (3)	Intrf.+EM (7)	900/s (6)	High (8)
Exp. Results	Entomlgy (5)	Mycology (4)	Current (8)	Neuroc. (5)	High (8)
Reliability	Medium (5)	Medium (6)	Good (7)	Very Good (8)	Good (7)
Noise	Particles (4)	Structure (5)	EM (8)	Shielded (9)	Tubes (8)

Plus:
Interface with Si world through optical waves

Molecular Communication Options for Long Range Nanonetworks

40



FUTURE WORK

Theoretical

- Physical channel characterization
- Simulation of complete comm. process.
- Identify noise sources
- Define molecular communication protocols



FUTURE WORK

Practical

- Develop testbeds, from diff. expertise
- Laboratory results in bio-communication
- Test validity of molecular comm. vs quantum comm.
- Find concrete apps and targets



3.- THEN...

3.1

• Evaluation

3.2

• Future work

3.3

• Conclusions

CONCLUSIONS – ASPECTS TACKLED

- ✓ Overview of nanotechnology and current nano-communication research.
- ✓ Definition of possible applications using molecular long range communication (MLRC).
- ✓ Proposal of 4 new communication options to expand MLRC techniques (2 wireless, 2 wired), added to pheromones.
- ✓ Exploration of the 5 MLRC proposed techniques, in emission, propagation and reception stages.
- ✓ Qualitative evaluation under several performance and communication parameters.
- ✓ Identification of critical parts and its mathematical modeling.

CONCLUSIONS – FINAL STATEMENT

- Molecular nano-communication techniques and its principles are envisaged to **greatly influence** the development of **nanotechnology**.
- Long range techniques covers an unexplored and promising research area. A wide range of **applications will be feasible** with the proposed techniques.
- Among all the techniques, **light transduction** offer the **best features** for molecular long range communication.

THANK YOU FOR YOUR
ATTENTION